


J-3862

I hereby certify that this correspondence is being deposited with the United States Postal Services on the date set forth below as First Class Mail in an envelope addressed to: Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
Date of Signature and Deposit: Feb. 28, 2005


Suzan E. Lechner

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Douglas A. Soller et al.
Serial No.: 10/615,178
Filed: July 8, 2003
Title: Cleaning Brush With Disposable/Replaceable Brush Head
Art Unit: 1744
Examiner: Laura C. Cole

Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attn: Mail Stop Amendment

Dear Sir:

In response to the Office Action mailed October 26, 2004 in the above described case, Applicants hereby submit the following amendment and remarks:

1. Page 2 of this document contains a specification amendment.
2. Page 3 of this document describes a drawing amendment, and the attached Replacement Sheet and Marked-up Annotated copy detail the nature of the amendment.
3. Pages 4-8 of this document contain the claims as proposed to be amended hereby.
4. Pages 9-16 contains remarks describing the nature of the amendment.

Please amend the specification as follows:

--[0089] Near the opposite end of the extension 14 are radially extending holes 19 and 20 that are suitable to receive corresponding snap parts 21 and 22 of the housing parts 15 and 16. The housing part 15 has a radial slot 24 on one surface and an arcuate inner channel along its opposite surface. The housing part 16 has a corresponding arcuate inner channel along its upper surface extending to a rear depressed area 26. When the housing parts 15 and 16 are assembled together they form a somewhat clam shell-like housing with a hollow internal cavity communicating with the slot 24 and a mouth outlet 25 at a lower end 27.--

--[0099] As shown in FIGS. 11-13, the sheet can be folded in accordion fashion with a highly concentrated cleaning/fragrancing material being injected between a number of the internal switchbacks 55 and 57 ~~56~~, but preferably not between the outer switchbacks 53 and 54.--

Please amend the drawings as follows:

Substitute the enclosed as revised sheet 6/9. The enclosed marked-up copy confirms that the only change is the replacement of numeral 56 with numeral 57 in FIG. 11.